

Long-Term 2 Enhanced Surface Water Treatment Rule (LT2 Rule)

Sample Collection Form

Utility Information	Shipping Information	For Lab Use Only
PWS name:	Lab name:	Date received:
PWS address:	Lab address:	Time received:
		Received by:
		Sample temperature on receipt:
Sampler name:	Date shipped:	Sample condition on receipt:
Sample Identification Information (<i>the combination of bolded items are used to identify the sample under LT2</i>)		
Sample ID (optional):		
PWS ID:		
Facility ID:		
Facility name:		
Sample collection point ID:		
Sample collection point name:		
Sample collection date:		
Source water type ^a (circle one):	Flowing stream (FS) GWUDI ^b - FS	Reservoir/lake (RL) GWUDI ^b - RL
Requested analysis (circle one):	<i>Cryptosporidium</i> field sample <i>E. coli</i>	<i>Cryptosporidium</i> matrix spike
Sample Collection Information		
<i>Cryptosporidium</i>	<i>E. coli</i>	
Initial meter reading (<i>field-filtered samples only</i>):	Sample collection time:	
Sample collection time (or start time, if field filtering):	Turbidity (NTU):	
Sample collection stop time (<i>field-filtered samples only</i>):		
Final meter reading (<i>field-filtered samples only</i>):		
Additional comments:		
Sampler signature:		Date:

^a The source water type should be selected based on the type of source water that accounts for *the majority of the surface water used as source water at the time of sample collection*

^b Ground water under the direct influence of surface water